

Message

From: Dudar, Helen [Helen.Dudar@dep.nj.gov]
Sent: 2/17/2021 3:02:11 PM
To: Mark Herzberg [Mark.Herzberg@dep.nj.gov]; Kavvadias, Eleni [kavvadias.eleni@epa.gov]; Seppi, Pat [Seppi.Pat@epa.gov]
Subject: RE: CWKs RES - DRAFT Annual Decline Contact for [Ex. 6 Personal Privacy (PP)]

Thanks Mark.

Eleni and I are on the phone and we concur with your rewrite.

From: Herzberg, Mark <Mark.Herzberg@dep.nj.gov>
Sent: Wednesday, February 17, 2021 9:46 AM
To: Kavvadias, Eleni <kavvadias.eleni@epa.gov>; Seppi, Pat <Seppi.Pat@epa.gov>; Dudar, Helen <Helen.Dudar@dep.nj.gov>
Subject: Re: CWKs RES - DRAFT Annual Decline Contact for [Ex. 6 Personal Privacy (PP)]

Helen/Eleni - I am fine with letter other than I would suggest the change below in the last paragraph on page one. I don't have a problem with them suggesting that the well needs to be resampled first if he chooses to move ahead. I think we would do the same. M

From:

Your drinking-water well was sampled on October 7, 2015. On November 13, 2017, you declined NJDEP's offer to treat your well.

To:

Your drinking-water well was sampled on October 7, 2015, and subsequently you declined NJDEP's offer to treat your well.

Mark Herzberg
NJDEP Office of Community Relations
mark.herzberg@dep.nj.gov
Office: (609) 633-1369
Cell: (609) 649-4392

Note: Nothing in this correspondence affects your potential liability and obligations to the State Trustee, the Department or its Commissioner regarding natural resource injuries, restoration, or damages.

From: Davis, Katherine L <katherine.l.davis@aecom.com>
Sent: Monday, February 15, 2021 3:22 PM
To: Kavvadias, Eleni <kavvadias.eleni@epa.gov>; Seppi, Pat <Seppi.Pat@epa.gov>; Dudar, Helen <Helen.Dudar@dep.nj.gov>; Herzberg, Mark <Mark.Herzberg@dep.nj.gov>
Cc: 'Andrew.S.Hartten@chemours.com' <Andrew.S.Hartten@chemours.com>
Subject: [EXTERNAL] CWKs RES - DRAFT Annual Decline Contact for [Ex. 6 Personal Privacy (PP)]

Good Afternoon,

Attached is a draft letter I wanted to share with you [Ex. 6 Personal Privacy (PP)] was one of the NJDEP sampled locations that Chemours agreed to take over OM&M. In most cases, GAC systems had already been installed. However, in this case, the resident declined NJDEP's treatment offer. To be consistent with Chemours program, we will be sending this letter

to confirm he still declines treatment. In addition, to be consistent with our QREP procedures, if he does want to accept Chemours offer of treatment, Chemours will resample his well first to reconfirm qualification as the NJDEP sampled his well in 2015. So far, none of the residents that declined Chemours treatment offer have responded to our annual mailing. If any of them do, we will also resample if the result is over a year old and the resident wants treatment now.

Please review this letter and let me know if you have any comments. Thank you.

Kathy

Katherine L. Davis, PhD

Pronouns: *she, her, hers*

PFAS Technical Lead

Principal Geologist, Philly Metro Area

D 1-302-318-2597 effective 10/14/20

C 1-302-530-2687

Katherine.L.Davis@aecom.com

AECOM

4051 Ogletown Road, Sabre Building Suite 300, Newark, Delaware 19713

T 1-302-781-5900 F 1-302-781-5901

www.aecom.com